

1973 SEIT

CATALOG
2023 | 2024



WORK AND PROTECTIVE GLOVES

We vouch for their reliability for 50 years

Contents

ABOUT THE BRAND 03

list of technologies and standards 04



RS METALLINDUSTRIE 06

welding and heat protection



RS SCHWERINDUSTRIE 10

heavier and general work



RS LEICHTINDUSTRIE 14

precise and assembly work



RS CHEMIEINDUSTRIE 20

chemical protection



RS KÄLTE 22

cold protection



RS HARDWARE 26

tactics, hobby and gardening

RS GLOVES GUIDE 30



50 YEARS AGO, IN THE CITY OF KALTENKIRCHEN IN GERMANY, THE BRAND OF PROTECTIVE GLOVES RS WAS BORN.

From the very beginning, the creators set themselves the goal of providing the demanding German industry with **reliable, durable and trustworthy products**. In this way, a range of gloves made with care was selected, also bearing in mind the **stability and fixed quality of the products offered**. 25 years ago RS gloves, as a synonym of class products, reached the French, Russian and Polish markets. Today, in the 21st century, our basic assumptions have not changed. **Gloves are still meant to be reliable**. While others lower the quality of their products, we focus on invariable first class our gloves, reliable performance and **customer satisfaction**.

SEIT

The long tradition of the RS brand and relying on proven solutions does not exclude the use of the latest technologies.

Bearing in mind the development and improvement of our products, we use solutions that provide the gloves with even greater reliability. Technologies and materials used in the production of our gloves:




SANITIZED ACTIFRESH

Swiss standard Sanitized Actifresh® is a technology that has been used all over the world for many years and offers the assurance of antibacterial protection. It helps keep your hands fresh and dry during long, all-day work. The main task is the protection against the multiplication of bacteria, fungi, mould, mites, and thus counteract undesirable odours by antibacterial treatment of various materials.

KEVLAR

KEVLAR

Kevlar fibre was marketed in military and aviation equipment. Today, thanks to this technology becoming more common, we can appreciate its presence in personal protection means. Gloves made of Kevlar fibre are characterised by fire retardancy and exceptional durability, which is extremely important, e.g. in the case of welding gloves.



R – HYTRIX

Abrasion is a key parameter for nitrile gloves. The R-HyTriX technology guarantees a high class of resistance to friction, which translates into an increase in the user safety while working in a difficult environment. The quality of nitrile used in R-HyTriX technology gloves is evident through the long service life of the glove without losing its properties.



WATERPROOF

Work comfort in an environment where a glove may start leaking due to low temperature or moisture, cannot be underestimated. Waterproof technology protects glove users against such situations, providing water resistance.

THINSULATE

THINSULATE

Patented technology related to the insulation of various types of products intended for the cold environment. It has found its application in the production of work gloves, both those designed for outdoor work under conditions of reduced temperature, as well as in cold rooms. Thinsulate material has gained popularity due to a number of properties beyond the thermal insulation itself – resistance to water, which is extremely important when working in a cold environment, washability, as well as air permeability, which allows the breathability of the material and hand in the glove.



OVER-TECH

RS gloves equipped with the Over-Tech system have a high nitrile injection rate, which means that their strength significantly exceeds the standard resistance of nitrile gloves. This is related to the method of applying layers of nitrile and its higher concentration. Thanks to this technology, work in an oily and wet environment does not cause any problems.



LATEX FREE

Gloves with this symbol are safe for people suffering from allergies to materials containing latex. Nitrile gloves are marked like that – nitrile is a synthetic latex, not causing allergic reactions in people who do not tolerate latex.



HEAT STOP IMPREGNATION

What is the most valuable for people working in a hot environment, exposed to long-lasting high temperatures and the danger of falling sparks? Definitely fire resistance. The technology of impregnation of RS brand welding gloves meets this need. Heat Stop Impregnation is a solution that ensures job security in one of the harshest environments. Made for welders.

INS-TECH

INS-TECH

Insulation system that provides comfort in a low temperature environment. Gloves equipped with this technology perfectly insulate and reduce the negative impact of cold factors on the hands and comfort of the user.



CARBON FIBER

Carbon fibre is a modern structure that allows the discharge of electrostatic charges in the fabric in an orderly and stable manner, while maintaining the safety of the product and people in an environment where there are electrostatic hazards.




PREMIUM GLOVES

Premium Gloves are our distinguished products, tested by users and successfully operating on the market for many years. They were constructed with the elaboration of the smallest details, materials that ensure reliability and comfort of use.



COTTON COMFORT

Cotton is one of the most popular materials of everyday clothing, successfully fulfilling its role in protective gloves. Cotton insert used in many RS glove models provides comfort and allows the skin to breathe, thus reducing the sweating of your hand during work.



R-TH FORMULA

In response to chemical hazards related to the environment of corrosive substances, the RS brand has equipped its chemical line gloves with the R-Th Formula technology. The applied coating protects employees' hands against penetration and permeation of substances dangerous to health through the glove.



NATUR

Gloves bearing this sign are made of natural materials only.



EN 420 STANDARD

This is the most basic standard. It defines the general scope of the product's functioning as a protective glove - an appropriate way of marking with pictograms, possession of instructions for use, fulfilment of the basic functions of protective gloves - functional, effective, not harmful to health.



EN 388 STANDARD

The standard refers to the mechanical resistance of protective gloves. It includes susceptibility to abrasion, cuts, tears and punctures. Gloves that have this standard are qualified to the second category of protection.



EN 374 STANDARD

Refers to protection against chemical substances and against microorganisms. Depending on its type, it is marked with an appropriate pictogram - a biological threat (bacteria and fungi) or a chemical one. Their classification depends on the type of substance (labelled with the appropriate letter) and on the time of penetration and permeation.



EN 407 STANDARD

Standard informing about resistance of the glove to high temperature and fire. Below the pictogram there are six digits indicating resistance to rays, contact heat, convection heat, radiation heat, small splashes of molten metal and large amounts of molten metal.



EN 511 STANDARD

Standard for protection against cold, including levels of resistance to convection cold, contact cold and water penetration.



PN-EN 16350 STANDARD

This standard defines parameters related to antistatic protection. It is met by gloves that do not collect static electricity to prevent electrical ignition, admitted to potentially explosive zones.



CE

A certificate that declares that a product meets the requirements of all applicable European Union directives.




Welding and heat protection

A close-up photograph of a welder wearing a grey protective suit and a large, tan-colored welding helmet. The welder is wearing yellow protective gloves with black and white patterns. Bright blue and white sparks are visible as the welder works on a metal piece. The background is dark and industrial, with some equipment visible.

METALLINDUSTRIE

RS SPLIT KEV

Split Kev is made of high quality cow split increased density leather and endowed with Heat Stop Impregnation system. Reliable protection in a hot working environment.



STANDARDS

EN 388:2016 (3233X), EN ISO 21420:2020,
EN 407:2020 (422X4X), EN 12477:2001+A1:2005 TYPE A

TECHNOLOGIES

Kevlar, Heat Stop Impregnation, Cotton Comfort

SIZES

10, 11



RS TIGON PREMIUM

Welding gloves made of high quality cow leather. The use of grain cow leather allows to achieve a perfect balance between precise grip and durability of the glove during TIG welding.



STANDARDS

EN 388:2016 (3243X), EN 420:2003+A1:2009, EN 407:2004
(422X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011

TECHNOLOGIES

Kevlar, Heat Stop Impregnation

SIZES

8, 9, 10, 11




Welding and heat protection

The hot environment of the energy, metallurgy and fuel industries is the place where our RS Metallindustrie welding gloves will be used. All gloves in this series have seams reinforced with Kevlar thread or double cotton thread, for even better performance of fireproof function even with prolonged exposure to high temperature environment.

Standards



Technologies





METALLINDUSTRIE

HEAT STOP IMPREGNATION

What is the most valuable for people working in a hot environment, exposed to long-lasting high temperatures and the danger of falling sparks? Definitely fire resistance. The technology of impregnation of RS brand welding gloves meets this need. Heat Stop Impregnation is a solution that ensures job security in one of the harshest environments. Made for welders.



HEAT STOP
IMPREGNATION

RS JUMBO

An indicator of quality for available in the market the best welding gloves. Strict standards applicable to the density and thickness of the leather guarantee the highest quality of the gloves.



STANDARDS	EN 388:2016+A1:2018 (4243X), EN 407:2020 (413X4X), EN 12477:2001+A1:2005 (TYPE A), EN ISO 21420:2020
TECHNOLOGIES	Kevlar, Heat Stop Impregnation, Cotton Comfort
SIZES	10, 11



RS COMFORT PREMIUM

STANDARDS	EN 388:2016 (4244X), EN 420:2003+A1:2009, EN 407:2004 (413X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Kevlar, Heat Stop Impregnation, Cotton Comfort
SIZES	10




RS SPLIT


STANDARDS	EN 388:2016 (3233X), EN ISO 21420:2020, EN 407:2020 (422X4X), EN 12477:2001+A1:2005 TYPE A
TECHNOLOGIES	Cotton Comfort, Heat Stop Impregnation, Natur
SIZES	9, 10, 11

RS TIGON GOAT

Welding glove designed for TIG welding, made of high-quality grain goat leather. Part of the forearm is reinforced with split leather. The seams in the glove are double impregnated, which enables precise grip of the lance and gives increased durability.




STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EN 407:2004 (422X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Heat Stop Impregnation, Natur
SIZES	9, 10, 11



RS TIGON

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EN 407:2004 (422X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Heat Stop Impregnation, Natur
SIZES	9, 10, 11



RS THERM

STANDARDS	EN 388:2016 (3232X), EN 420:2003+A1:2009, EN 407:2004 (X2XXXX), EAC TP TC 019/2011
TECHNOLOGIES	Cotton Comfort, Heat Stop Impregnation
SIZES	10, 11



KEVLAR

Kevlar fibre was marketed in military and aviation equipment. Today, thanks to this technology becoming more common, we can appreciate its presence in personal protection means. Gloves made of Kevlar fibre are characterised by fire retardancy and exceptional durability, which is extremely important, e.g. in the case of welding gloves.



10

WORK AND PROTECTIVE GLOVES




Heavier and general work




SCHWERINDUSTRIE

RS SUPER-V

Working glove made of high-quality cow split leather with an additional patch of split leather sewn onto the palm part.



STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10



RS SUPER HEAVY

STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10



RS TURR PREMIUM [AVAILABLE IN VARIOUS VARIANTS]

STANDARDS	EN 388:2016 (3121X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Cotton Comfort, Natur
SIZES	8, 9, 10, 11, 12



SCHWERINDUSTRIE

Heavier and general work

The durability of our gloves designed for heavier and general work is appreciated by workers from the mining, fuel and metallurgical industries.

Standards



Technologies






SCHWERINDUSTRIE

COTTON COMFORT

Cotton is one of the most popular materials of everyday clothing, successfully fulfilling its role in protective gloves. Cotton insert used in many RS glove models provides comfort and allows the skin to breathe, thus reducing the sweating of your hand during work.



COTTON
COMFORT




RS STIER PREMIUM

STANDARDS	EN 388:2016+A1:2018 (3243X), EN 420:2003+A1:2009
TECHNOLOGIES	Cotton Comfort, Natur
SIZES	10



RS HEAVY

STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10, 11



RS ELBE PRO

STANDARDS	EN 388:2016 (4544D), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	8, 9, 10, 11




RS VIC TEC

STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10, 11



RS FAHRER [AVAILABLE IN ECONOMIC VERSION]

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11



RS REITER

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	8, 9, 10, 11



SCHWERINDUSTRIE

NATUR

Gloves bearing this sign are made of natural materials only.



NATUR



RS ZIRKON

STANDARDS	EN 388:2016 (4121X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Over-Tech, R-HyTriX, Latex Free, Cotton Comfort, Sanitized Actifresh
SIZES	10



RS OPAL 800

STANDARDS	EN 388:2016 (4112X), EN 420:2003+A1:2009
TECHNOLOGIES	Latex Free, Cotton Comfort
SIZES	10, 11



Precise and assembly work



LEICHTINDUSTRIE

RS FEDER

Synthetic leather glove with a soft, cushioned, spongy structure in the insole.



synthetic leather with a soft, cushioned, spongy structure of the insole
facilitates work requiring precision

terry material
allows you to wipe away sweat

in the palm part "diamond grip" type material
excellent grip, precision of the grip

spine tightened with an elastic band
longer use of the glove

STANDARDS EN 420:2003+A1:2009, EN 388:2016 (2132X)

SIZES 7, 8, 9, 10, 11



ultra thin glove
perfect grip and precision of work

high-quality polyurethane
the glove leaves no traces on surfaces, even on glass

dust-free glove
(does not contain cotton)
each pair packed in a separate bag, so that when opened, there is no single speck of dust on it

finished with a welt
keeps the glove in the right position

RS FLOTT TEC

STANDARDS EN 388:2016 (2121X), EN 420:2003+A1:2009, EAC TP TC 019/2011

SIZES 6, 7, 8, 9, 10, 11



antistatic glove
for work in an environment endangered with electrostatic properties

Carbon Fiber
allows the discharge of naturally arising electric charges in an orderly manner

cut-resistant glove
for work where a cut hazard exists

grip part covered with polyurethane
reliable grip and precision even in difficult conditions

finished with a welt
keeps the glove in place

an ultra-thin glove with a resilient weave
a unique composition of fibers that provides both anti-cut and anti-electrostatic protection

RS RAND ESD

STANDARDS EN 388:2016 (4342B), EN 420:2003+A1:2009, EN 16350:2014, EAC TP TC 019/2011

TECHNOLOGIES Carbon Fiber

SIZES 7, 8, 9, 10, 11



LEICHTINDUSTRIE


Precise and assembly work

Precision – this is the word that best describes the nature of the work of the RS Leichtindustrie series gloves. The line includes assembly products for both dry and wet environments.

Standards



Technologies





LEICHTINDUSTRIE

OVER-TECH

RS gloves equipped with the Over-Tech system have a high nitrile injection rate, which means that their strength significantly exceeds the standard resistance of nitrile gloves. This is related to the method of applying layers of nitrile and its higher concentration. Thanks to this technology, work in an oily and wet environment does not cause any problems.



OVER-TECH




the palm coated with black latex
the latex coating provides excellent
grip and water resistance

covering only the palm part with latex
allows the skin to breathe freely

soft ribbed wrist
keeps the glove in a proper
position on the wrist and doesn't
affect blood circulation in your
hand

RS SAFE TEC BLACK

STANDARDS	EN 388:2016 (3142X), EN 420:2003+A1:2009, EN 407:2004 (X2XXXX), EAC TP TC 019/2011
SIZES	9, 10, 11



high quality polyurethane
the glove does not leave marks on
surfaces, even on glass

the glove is dustless
each pair of gloves is packed in
a separate sealed small bag

the proper structure of the palm coating
the glove provides a secure grip

gloves' sizing
allows you to choose the right size for
your hand so as to ensure working in
comfort

non tight ribbed wrist
keeps the glove in a proper position on
the wrist

RS ULTRA TEC

STANDARDS	EN 388:2016 (4131X), EN 420:2003+A1:2009
SIZES	6, 7, 8, 9, 10, 11



high quality polyurethane
the glove does not leave marks on
surfaces, even on glass

the glove is dustless
each pair of gloves is packed in a
separate sealed small bag

the proper structure of the palm coating
the glove provides a secure grip

gloves' sizing
allows you to choose the right size for
your hand so as to ensure working in
comfort

non tight ribbed wrist
keeps the glove in a proper position on
the wrist

RS ULTRA TEC GREY

STANDARDS	EN 388:2016 (4131X), EN 420:2003+A1:2009
SIZES	6, 7, 8, 9, 10, 11



elastic insole
adjusts to the hand

a dense stitch glove
guarantees thermal protection at
a lower temperature than the
room temperature

flexible latex coating
excellent grip and precision of work

finished with a welt
it stays on the hand

RS HERBST


STANDARDS	EN 388:2016 (3142X), EN 420:2003+A1:2009, EN 407:2004 (X2XXXX), EAC TP TC 019/2011
SIZES	6, 7, 8, 9, 10, 11

RS CONDUCTOR ESD [ALSO AVAILABLE WITH AND WITHOUT COATING OF FINGERTIPS]

Antistatic glove, knitted from soft white nylon and carbon fiber. The gripping part of the glove is coated with polyurethane. It prevents electric discharges and discharges charges in an orderly manner. Intended, for example, for plants producing electronic.



STANDARDS	EN 388:2016 (2121X), EN 420:2003+A1:2009, EN 16350:2014, EN 1149-2:1997, EAC TP TC 019/2011
TECHNOLOGIES	Carbon Fiber
SIZES	6, 7, 8, 9, 10, 11



RS STROMER ESD

STANDARDS	EN 388:2016 (2121X), EN 420:2003+A1:2009, EN 16350:2014, EN 1149-2:1997, EAC TP TC 019/2011
TECHNOLOGIES	Carbon Fiber
SIZES	6, 7, 8, 9, 10, 11



RS COMFO TEC [AVAILABLE ALSO IN WINTER VERSION]

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11



LEICHTINDUSTRIE

CARBON FIBRE

Carbon fibre is a modern structure that allows the discharge of electrostatic charges in the fabric in an orderly and stable manner, while maintaining the safety of the product and people in an environment where there are electrostatic hazards.



CARBON FIBER



LEICHTINDUSTRIE

NATUR

Gloves bearing this sign are made of natural materials only.



NATUR

RS ECO TEC PREMIUM [AVAILABLE ALSO IN ECONOMIC VERSION]

An assembly reinforced goat selective grain leather glove, finished with Velcro. This dressing combines ergonomics at work and hand protection even in difficult conditions.



goat selective grain leather
making the glove nice and soft inside
and smooth outside

special cotton stitch
causes elasticity and fits to the hand

the entirely trimmed with leather thumb
provides full protection for your hand
and extends the life of the glove
by protecting the most vulnerable
during working places on the glove

gloves' sizing
allows you to choose the perfect size
for your hand

Velcro fastening
prevents sliding the glove off the hand

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	8, 9, 10



goat selective grain leather
making the glove nice and soft inside
and smooth outside

narrow patches of skin sewn between the toes
they match the glove to the physical shape
of the hand

the entirely trimmed with leather thumb
provides full protection for your hand
and extends the life of the glove
by protecting the most vulnerable
during working places on the glove

gloves' sizing
allows you to choose the perfect size
for your hand

Velcro fastening
prevents sliding the glove off the hand

RS SKIN TEC

STANDARDS	EN 388:2003 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
SIZES	9, 10



goat selective grain leather
making the glove nice and soft inside
and smooth outside


the entirely trimmed with leather thumb
provides full protection for your hand
and extends the life of the glove
by protecting the most vulnerable
during working places on the glove

gloves' sizing
allows you to choose the perfect size
for your hand

the elastics at the glove end
keeps the glove in a proper position on
the wrist

RS SOFT TEC

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11



RS TOPAS

STANDARDS	EN 388:2016 (4111X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Over-Tech, R-HyTriX, Cotton Comfort, Sanitized Actifresh, Latex Free
SIZES	7, 8, 9, 10



RS TOPAS VOLL

STANDARDS	EN 388:2016 (4111X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Over-Tech, R-HyTriX, Cotton Comfort, Sanitized Actifresh, Latex Free
SIZES	9



LEICHTINDUSTRIE

R-HYTRIX

Abrasion is a key parameter for nitrile gloves. The R-HyTriX technology guarantees a high class of resistance to friction, which translates into an increase in the user safety while working in a difficult environment. The quality of nitrile used in R-HyTriX technology gloves is evident through the long service life of the glove without losing its properties.



RS CITRIN

STANDARDS	EN 388:2016 (4112X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Latex Free, Cotton Comfort
SIZES	7, 8, 9, 10, 11



RS SYNTH TEC

STANDARDS	EN 388:2016 (3131X), EN 420:2003+A1:2009, EAC TP TC 019/2011
SIZES	7, 8, 9, 10, 11



R-HYTRIX



Chemical protection



CHEMIEINDUSTRIE

Gefahr
Danger
Niebezpieczeństwo

RS DUPLO

The glove is triple PVC coated. Made in the R-Th Formula system, which protects hands against penetration and soaking of hazardous substances. Resistant even to concentrated acids and bases. The roughened layer facilitates grip.



a mixture of PVC used in this glove has an increased concentration

very durable and recommended to perform hard work

the glove is coated with a PVC layer thrice
better resistance

in the palm area it has a rough surface
better grip

R-Th Formula
provides resistance to fats, oils, water and resistance to chemical and microbiological hazards

Cotton Comfort
absorbs sweat and thus considerably improves comfort during long-term working

Sanitized Actifresh® standard
preventing the growth of fungi and bacteria in the glove

ending with an open cuff of different length - 27, 35, 45 cm
additionally protects the forearm

STANDARDS

EN 388:2016 (4121X); EN 420:2003+A1:2009; EN ISO 374-1:2016/-TYPE A - J = n-Heptane - 2 level, K = 40% Sodium Hydroxide - level 6, L = 96% Sulphuric Acid - 3 level, M = 65% Nitric Acid - 3 level, P = 30% Hydrogen Peroxide - 6 level, S = 40% Hydrofluoric Acid - 5 level, T = 37% Formaldehyde - 6 level; EN ISO 374-5:2016 Resistance to Bacteria and Fungi - Pass, Resistance to Virus - Pass; EN 374-4:2013 J - 3,9%, K - 13,5%, L - 62,4%, M - 34,3%, P - -1,7%, S - not tested, T - 1,4%; EAC TP TC 019/2011

TECHNOLOGIES

R-Th Formula, Sanitized Actifresh, Cotton Comfort

SIZES

10



PVC - high quality

it allows you to immerse the hand

PVC has a foam structure

it does not become solid even at very low temperatures that makes working safe and comfortable in the most difficult conditions

Ins-Tech system

high coefficient of thermal insulation

R-Th Formula

provides resistance to fats, oils, water and resistance to chemical and microbiological hazards

Sanitized Actifresh® standard

preventing the growth of fungi and bacteria in the glove

a long cuff

additionally protects the forearm

RS POLAR I

STANDARDS

EN 388:2016 (3121X); EN 420:2003+A1:2009; EN ISO 374-1:2016/-TYPE A - A = Methanol - 2 level, L = 96% Sulphuric Acid - 2 level, K = 40% Sodium Hydroxide, M = 65% Nitric Acid, T = 37% Formaldehyde - level 6, P = 30% Hydrogen Peroxide - level 6, S = 40% Hydrofluoric Acid - 4 level; EN ISO 374-5:2016 - Resistance to Bacteria and Fungi - Pass, Resistance to Virus - Pass; EN 511:2006 - III; EN 374-4:2013 - A - -34,6%, L - 2,5%, K - -32,2%, M - -57,8%, T - -58,8%, P - -59,8%, S - Not Tested; EAC TP TC 019/2011

TECHNOLOGIES

R-Th Formula, Ins-Tech, Sanitized Actifresh

SIZES

10



R-Th Formula

provides resistance to fats, oils, water and resistance to chemical and microbiological hazards

Sanitized Actifresh® standard

preventing the growth of fungi and bacteria in the glove

ending with an open cuff of different length - 27, 35, 45 cm

allows to immerse a hand

RS PVC

STANDARDS

EN 388:2016 (4121X); EN 420:2003+A1:2009; EN ISO 374-1:2016/-TYPE A - A = Methanol - 2 level, K = 40% Sodium Hydroxide - 6 level, L = 96% Sulphuric Acid - 3 level, M = 65% Nitric Acid - 3 level, T = Formaldehyde - 6 level, P = 30% Hydrogen Peroxide - 6 level, S = Hydrofluoric Acid - 5 level; EN ISO 374-5:2016 - Resistance to Bacteria and Fungi - Pass, Resistance to Virus - Pass; EN 374-4:2013 - A - -19,8%, K - -21,5%, L - -31,9%, M - -8,0%, T - -16,6%, P - -3,1%, S - Not Tested; EAC TP TC 019/2011

TECHNOLOGIES

R-Th Formula, Sanitized Actifresh

SIZES

10



CHEMIEINDUSTRIE

Chemical protection

Chemical protection covers the highest category among hazards in the work environment, therefore all products from the chemical-proof line meet the 374 standard. RS Chemieindustrie gloves provide oil resistance, water resistance, as well as resistance to chemical and microbiological hazards.

Standards

EN 420



EN 388



EN 374



Technologies



R-TH
FORMULA



SANITIZED
ACTIFRESH



COTTON
COMFORT



Cold protection

A close-up photograph of a person's hands wearing red and white work gloves. The gloves have a red knitted cuff and white leather-like palms and fingers. The person is holding a metal tool, possibly a chisel or a small axe, and is working on a snowy or icy surface. The background is a bright, snowy landscape. The word 'KÄLTE' is overlaid in large white letters on the bottom left of the image.

KÄLTE

RS SYNTH TEC WINTER

Insulated glove made of synthetic leather. It does not absorb water and is windproof. Finished with a tightening elastic. Insulated with the Ins-Tech system.



STANDARDS	EN 388:2016 (2132X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	7, 8, 9, 10, 11

RS COMFO TEC WINTER

Insulated assembly, reinforced split goat leather (grain, selecting) glove. Finished with an open cuff. The dressing combines ergonomics at work with hand protection even in difficult conditions.



STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



KÄLTE


Cold protection

Thermal insulation – this is the main task of RS Kälte products. Our winter gloves offer includes various models designed for activities performed at reduced temperatures. They efficiently protect the hands of light and heavy industry workers from the cold.

Standards



Technologies



SANITIZED
ACTIFRESH



KÄLTE

THINSULATE

Patented technology related to the insulation of various types of products intended for the cold environment. It has found its application in the production of work gloves, both those designed for outdoor work under conditions of reduced temperature, as well as in cold rooms. Thinsulate material has gained popularity due to a number of properties beyond the thermal insulation itself – resistance to water, which is extremely important when working in a cold environment, washability, as well as air permeability, which allows the breathability of the material and hand in the glove.

THINSULATE

THINSULATE



softshell
windproof and not absorbing water

goat leather
comfort of use

System Ins-Tech
insulated glove, for work in low temperature environments

finished with an elastic band
holds the glove in place

RS EISKERN

STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



Ins-Tech system
material with high thermal insulation parameters

the latex mixture, used for manufacturing of the glove, has the optimum concentration
increase the durability with due regard for optimal price

the glove has a knitted acrylic lining due to the fact that the insulated lining is made of the draped acrylic, the glove dries immediately even when damp

gloves' sizing
allow you to choose the ideal size for your hand and work that requires high precision

RS SAFE TEC WINTER

STANDARDS	EN ISO 21420:2020, EN 388:2016 (4232X), EN 511:2006 (X3X), EN 407:2020 (X2XXXX)
TECHNOLOGIES	Ins-Tech
SIZES	8, 9, 10, 11



insulated glove
reliable protection in a low temperature environment

fully leather glove
only natural grain cow leather

all made of one piece of skin
the most loaded place on the glove – index finger, trimmed with leather

finished with a leather cuff
additionally protects the forearm

RS FAHRER WINTER

STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120)
TECHNOLOGIES	Ins-Tech
SIZES	8, 9, 10, 11, 12




synthetic leather glove
windproof and not absorbing water

soft and comfortable glove
comfort of use

System Ins-Tech
insulated glove, for work in low temperature environments


RS EISBERG

STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



RS GLETSCHER WATERPROOF

STANDARDS	EN 388 (3122), EN 420, EN 511 (220), EAC TP TC 019/2011
TECHNOLOGIES	Waterproof, Thinsulate
SIZES	10, 11



RS STIER POLAR [AVAILABLE ALSO IN PREMIUM VERSION]


STANDARDS	EN 388:2016 (3122X), EN 420:2003+A1:2009, EN 511:2006 (220), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



KÄLTE


INS-TECH

Insulation system that provides comfort in a low temperature environment. Gloves equipped with this technology perfectly insulate and reduce the negative impact of cold factors on the hands and comfort of the user.



RS ECO TEC WINTER

STANDARDS	EN 420:2003+A1:2009, EN 388:2016 (2122X), EN 511:2006 (120)
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



RS POLAR II

STANDARDS	EN 388:2016 (3121X), EN 420:2003+A1:2009, EN 511:2006 (111), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	10



INS-TECH



Tactics, hobby and gardening



HARDWARE

RS WERBER

The most comfortable leather glove on the market, made of goat grain leather. Full comfort of work during light and precise work, as well as during sports and recreational activities.




STANDARDS	EN 388:2016 (3121X), EN 420:2003+A1:2009
SIZES	8, 9, 10, 11



RS FARRA TEC

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
SIZES	9, 10



RS BASTLER

STANDARDS	EN 420:2003+A1:2009, EN 388:2016 (3243X)
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11



HARDWARE

Tactics, hobby and gardening

A series of fitting gloves intended for the workshop, home and garden. Our offer also includes non-industrial gloves, recommended for housework, and fitting mechanics type gloves for excellent grip.

Standards



Technologies



NATUR



HARDWARE

NATUR

Gloves bearing this sign are made of natural materials only.

Standards

EN 420

EN 388



Technologies



NATUR



synthetic leather coated with silicone mesh
provides a secure grip

the upper side is made of elastic fabric with ventilation holes
allows you to get rid of excessive sweating and helps to prevent abrasions

Velcro-type fastening
prevents sliding the glove off of the hand

RS SLIP STOP

STANDARDS	EN ISO 21420:2020, EAC TP TC 019/2011
SIZES	9, 10



coating with a roughened latex
roughening causes latex elasticity and good grip of the glove

the cotton fabric is made on base of technology Interlock®
ensures sweat absorption and density of the stitching

gloves' sizing
allows you to choose the right size for your hand so as to ensure working in comfort

the elasticsation at the glove end
keeps the glove in a proper position on the wrist

RS SAFE EX

STANDARDS	EN 388:2016+A1:2018 (3344A), EN ISO 21420:2020, EN 407:2020 (X2XXXX)
SIZES	9, 10, 11



genuine, yellow in color pig leather
the leather after it's been wet and dry does not harden

shock absorber micro cushions
increase grip and comfort during working

the upper part is made of the elastic fabric with ventilation holes
allows you to get rid of excessive sweating and helps to avoid abrasions

Velcro-type fastening
prevents sliding the glove off of the hand

RS RACER

STANDARDS	EN ISO 21420:2020, EAC TP TC 019/2011
SIZES	9, 10



Touch Screen glove - patches on the forefinger and thumb
the ability to work with touch screens

covered with sheepskin
perfect work ergonomics




Softshell material
soft and comfortable

finished with Velcro
the glove is comfortably placed on the hand in an unchanged position

RS BILDSCHIRM

STANDARDS	EN 420:2003+A1:2009, EN 388:2016 (2132X)
SIZES	7, 8, 9, 10, 11

Follow us on Facebook, Instagram and on our website.



www.rs-schutz.com



Rękawice-RS-Polska



rs_schutz_com

RS Gloves Guide - check and compare the most important features of our gloves

glove name	product line	glove type	short description	page
Bastler	Hardware	mechanics type glove	perforated goatskin with press studs	27
Bildschirm	Hardware	mechanics type glove	sheep grain leather, softshell	28
Citrin	Leichtindustrie	nitrile glove	resistant to fats, oils and water	19
Comfo Tec	Leichtindustrie	assembly glove	goat selective grain leather	17
Comfo Tec Winter	Kälte	insulated assembly work glove	split goat leather	23
Comfort Premium	Metallindustrie	welding glove	kevlar, premium quality	8
Conductor ESD	Leichtindustrie	antistatic glove coated with polyurethane	antistatic	17
Duplo	Chemieindustrie	anti-chemical glove	foamed PVC with a rough surface	21
Eco Tec Premium	Leichtindustrie	assembly glove	goat selective grain leather with velcro	18
Eco Tec Winter	Kälte	insulated	grain goat leather with velcro, touch screen	25
Eisberg	Kälte	insulated	synthetic leather	24
Eiskern	Kälte	insulated	softshell	24
Elbe Pro	Schwerindustrie	anticut	kevlar, reinforced with split leather	12
Fahrer	Schwerindustrie	full-grain leather glove	cow grain leather	13
Fahrer Winter	Kälte	insulated full grain leather	cow grain leather	24
Farra Tec	Hardware	mechanics type glove	goat grain leather	27
Feder	Leichtindustrie	assembly glove	synthetic leather, the back tightened with an elastic band	15
Flott Tec	Leichtindustrie	ultrathin, covered with polyurethane	thin glove for precision work	15
Gletscher Waterproof	Kälte	insulated work glove	grain leather, waterproof, Thinsulate	25
Heavy	Schwerindustrie	work glove	cow split premium leather	12
Herbst	Leichtindustrie	dense stitch, latex coated	to temperatures below room temperature	16
Jumbo	Metallindustrie	welding glove	kevlar, premium quality	8
Opal 800	Schwerindustrie	heavy nitrile glove	resistant to fats, oils and water	13
Polar I	Chemieindustrie	anti-chemical glove	anti-chemical and insulated	21
Polar II	Kälte	insulated work glove	foamed PVC	25
PVC	Chemieindustrie	anti-chemical glove	PVC	21
Racer	Hardware	mechanics type glove	full-grain leather	28
Rand ESD	Leichtindustrie	antistatic glove coated with polyurethane	cut-resistant gloves	15

glove name	product line	glove type	short description	page
Reiter	Schwerindustrie	full-grain leather glove	cow grain leather, elasctication	13
Safe Ex	Hardware	latex glove on a knitted cotton insert	great grip	28
Safe Tec Black	Leichtindustrie	assembly glove	black, latex	16
Safe Tec Winter	Kälte	insulated glove	roughened latex	24
Skin Tec	Leichtindustrie	assembly glove	goat selective grain premium leather	18
Slip Stop	Hardware	mechanics type glove	silicone mesh	28
Soft Tec	Leichtindustrie	assembly glove	goat selective grain leather, elastication	18
Split	Metallindustrie	welding glove	welding glove	8
Split KEV	Metallindustrie	welding glove	kevlar	7
Stier Polar	Kälte	insulated work glove	grain pig leather	25
Stier Premium	Schwerindustrie	work glove	grain pig leather	12
Stromer ESD	Leichtindustrie	antistatic glove coated with polyurethane	antistatic	17
Super Heavy	Schwerindustrie	work glove	cow split leather for diamond-cutters	11
Super-V	Schwerindustrie	work glove	cow split leather	11
Synth Tec	Leichtindustrie	work glove	synthetic leather	19
Synth Tec Winter	Kälte	insulated glove	synthetic leather	23
Therm	Metallindustrie	thermal glove	resistant to contact heat	9
Tigon	Metallindustrie	welding glove - TIG	cow grain leather	9
Tigon Goat	Metallindustrie	welding glove - TIG	goat grain leather	9
Tigon Premium	Metallindustrie	welding glove - TIG	kevlar, premium quality	7
Topas	Leichtindustrie	nitrile glove	resistant to fats, oils and water	19
Topas Voll	Leichtindustrie	nitrile glove	resistant to fats, oils and water	19
Turr Premium	Schwerindustrie	work glove	cow grain leather	11
Ultra Tec	Leichtindustrie	assembly PU glove	precise work glove	16
Ultra Tec Grey	Leichtindustrie	assembly PU glove	precise work glove	16
Vic Tec	Schwerindustrie	work glove	cow split leather	12
Werber	Hardware	mechanics type glove	goat grain leather	27
Zirkon	Schwerindustrie	heavy nitrile glove	resistant to fats, oils and water	13



WWW.RS-SCHUTZ.COM

Check on the website

